

About the Meningitis Progress Tracker & Our Data Sources

What is the Meningitis Progress Tracker?

In 2020, countries around the world agreed to take action against meningitis. These countries committed to a global plan, led by the World Health Organization (WHO), to dramatically improve meningitis prevention, diagnosis, treatment and aftercare. The plan – WHO Global Road Map to Defeat Meningitis by 2030 – was officially launched in September 2021.

Meningitis Research Foundation launched the Meningitis Progress Tracker to bring available data on meningitis into one place for the first time. Supported by the WHO as a tool to help deliver the Road Map, the Meningitis Progress Tracker uses data to tell the story of the burden and impact of meningitis – providing evidence for action to defeat this devastating disease.

The latest version of the Meningitis Progress Tracker was developed following interviews and workshops with users in academia, civil society, global funders, data holders, country/regional experts and global health agencies.

Who can use the Meningitis Progress Tracker?

Anyone can use the Meningitis Progress Tracker. It aims to provide accessible data that people can use to advocate for the policies and funding needed to defeat meningitis.

We know that data on the burden of meningitis can be challenging to interpret. This is due in part to there being multiple causes of meningitis, and because the data comes from different sources. With the Meningitis Progress Tracker, for the first time, we bring the story of meningitis together into one place in way that everyone can understand.

Data from the Meningitis Progress Tracker has already been used to help WHO identify target countries where gains from the Road Map implementation will likely have the most impact.

What data sources are used in the Meningitis Progress Tracker?

The Meningitis Progress Tracker uses several different data sources. Data is continually updated based on the frequency of data release or data availability. A reference for data sources is included with every visualisation in the Meningitis Progress Tracker. More information about the data sources we have used is below in the 'About Our Data' Sources section.

About Our Data Sources

Institute of Health Metrics and Evaluation (IHME) Global burden of disease study 2023: 2000-2023 estimates

Within the main pages of the Meningitis Progress Tracker cases, deaths and impairment data are based on estimates from the Institute for Health Metrics and Evaluation's Global Burden of Disease Study 2023 (IHME GBD 2023). Data is continually updated based on how often it is made available.

The Meningitis Progress Tracker reports 'Meningitis' estimates (which includes bacterial, fungal and viral meningitis) and meningitis estimates subcategorised into the following causes:

- Meningococcal meningitis
- Pneumococcal meningitis
- Haemophilus influenzae meningitis
- Group B streptococcal meningitis
- Other bacterial and viral causes of meningitis

Incidence (cases/100,000 population) and mortality (deaths/100,000 population) are also provided. Mortality rates reported in the tracker are crude death rates. For more information:

Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2023 (GBD 2023) Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHME) [cited 2026; Available from: <https://www.healthdata.org/research-analysis/about-gbd>]

World Health Organization Global Health Estimates (WHO GHE): 2021 estimates

WHO GHE estimates are included in the data explorer. WHO GHE estimate deaths from meningitis for all ages. WHO GHE do not produce meningitis estimates broken down by cause nor do they produce estimates for number of cases or incidence of disease.

For more information:

Global Health Estimates 2021: leading causes of death. Cause specific mortality, 2000-2021 Geneva, World Health Organization; Available from:

<https://www.who.int/data/gho/data/themes/mortality-and-global-health-estimates/ghe-leading-causes-of-death>. Accessed March 2026.

Child and Adolescent Causes of Death Estimation (CA CODE): 2000–2024 estimates

CA CODE estimates are included in the data explorer. CA CODE estimate deaths and mortality rates from meningitis in children aged under 5 years. CA CODE do not produce meningitis estimates broken down by pathogenic cause nor do they produce estimates for number of cases or incidence of disease.

CA CODE estimates are produced by a research consortium led by the Institute for International Programs at Johns Hopkins Bloomberg School of Public Health (IIP-JHU), in collaboration with the United Nations Inter-agency Group for Child Mortality Estimation (UN IGME). CA CODE builds upon previous work carried out by the Maternal and Child Epidemiology Estimation (MCEE) project.

For more information:

- Eilerts-Spinelli H, et al. Global, regional, and national causes of death in children and adolescents younger than 20 years: an open data portal with estimates for 2000–21. *Lancet Glob Health*. 2024;12(1):e17–e18. Available from: [https://doi.org/10.1016/S2214-109X\(23\)00496-5](https://doi.org/10.1016/S2214-109X(23)00496-5)
- United Nations Inter-agency Group for Child Mortality Estimation (UN IGME). *Levels & Trends in Child Mortality: Report 2025*. New York: UNICEF; 2026. Available from: <https://data.unicef.org/resources/levels-and-trends-in-child-mortality/>

Country Income Classification

Source: World Bank. (2025). World Bank Country and Lending Groups. Washington, DC: World Bank Group. Available at: <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>. Accessed October 2025.

The World Bank uses Gross National Income (GNI) per capita thresholds for the 2024 fiscal year:

- Low income: \$1,135 or less
- Lower middle income: \$1,136 to \$4,465
- Upper middle income: \$4,466 to \$13,845
- High income: \$13,846 or more.

Universal vaccine introductions, programme types and vaccine coverage

Pneumococcal and Hib vaccine data

Countries that have introduced universal immunisation programmes for PCV and Hib from IVAC Viewhub:

PCV - <https://view-hub.org/vaccine/pcv?set=current-program-type&group=vaccine-introduction&category=pcv> Accessed August 2025.

Hib - <https://view-hub.org/vaccine/hib?set=current-program-type&group=vaccine-introduction&category=hib> Accessed August 2025

Coverage data sourced from WHO/UNICEF estimates of national immunization coverage, published July 2025 <https://www.who.int/teams/immunization-vaccines-and-biologicals/immunization-analysis-and-insights/global-monitoring/immunization-coverage/who-unicef-estimates-of-national-immunization-coverage> Accessed July 2025.

Meningococcal vaccine data

We collected data on routine meningococcal vaccination programmes (including vaccine type and target age groups) using a systematic approach to make sure the information is accurate and up to date.

How we gathered this information:

1. Finding vaccination programmes

We started by identifying countries with meningococcal vaccination programmes using the World Health Organization vaccine schedule database. You can find this at <https://immunizationdata.who.int/global?topic=Vaccination-schedule&location=> (accessed July 2025).

2. Checking official sources

For each country, we searched official government websites to verify programme details through ministry of health and public health agency sources. We've included the official source URL in the visual so you can check the information yourself. We removed countries where official sources showed no active meningococcal vaccination programme.

3. Cross-checking European data

For European countries, we double-checked our information using the ECDC vaccine scheduler. You can access this at <https://vaccine-schedule.ecdc.europa.eu/> (accessed July 2025). We added any countries found in ECDC data that weren't in the WHO database and verified them using the same process.

4. Reviewing recent research

We also reviewed recent research to find any additional programmes or policy changes that might not be in official databases yet. The key studies we looked at include:

- Isitt C, Cosgrove CA, Ramsay ME, Ladhani SN. Success of 4CMenB in preventing meningococcal disease: evidence from real-world experience. *Arch Dis Child*. 2020 Aug;105(8):784-790.
- Parikh, S., Campbell, H., Bettinger, J.A., Harrison, L.H., Marshall, H.S., Martinon-Torres, F., Safadi, M.A., Shao, Z., Zhu, B., von Gottberg, A. and Borrow, R., 2020. The ever-changing epidemiology of meningococcal disease worldwide and the potential for prevention through vaccination. *Journal of Infection*.
- Sulis, G., Horn, M., Borrow, R. and Basta, N.E., 2022. A comparison of national vaccination policies to prevent serogroup B meningococcal disease. *Vaccine*.
- Borrow R, Findlow J. The important lessons lurking in the history of meningococcal epidemiology. *Expert Rev Vaccines*. 2024 Jan-Dec;23(1):445-462.

Any countries we found through research were verified using official government sources following the same process.

Meningitis belt data

Data on routine meningococcal vaccination programmes in the meningitis belt was cross checked with the World Health Organization Intercountry Support Team – West Africa. *Meningitis Weekly Bulletin*, week 13 2025.

Years of Life lost (YLLs)

Years of life lost (YLLs) are years lost due to premature mortality. YLLs are calculated by subtracting the age at death from the longest possible life expectancy for a person at that age. For example, if the longest life expectancy for men in a given country is 75, but if man dies of meningitis aged 60, this would be 15 years of life lost due to meningitis.

Source: Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2023 (GBD 2023) Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHME)

Years Lived with Disability (YLDs)

Years lived with disability (YLDs) can also be described as years lived in less than ideal health. It is measured by taking the prevalence of the condition multiplied by the disability weight for that condition. Disability weights reflect the severity of different conditions and are developed through surveys of the general public.

Source: Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2023 (GBD 2023) Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHME)

Disability adjusted life years (DALYs)

Disability adjusted life years take into account loss of health as a result of disability following disease and life lost as a result of premature death.

DALYs are the sum of years of life lost from disease (YLLs) and years lived with disability (YLDs)

Source: Global Burden of Disease Collaborative Network. Global Burden of Disease Study 2023 (GBD 2023) Results. Seattle, United States: Institute for Health Metrics and Evaluation (IHME)

For more information about data sources please contact Claire Wright, MRF Health Insights Manager – clairew@meningitis.org